



**BULLARD
BOLLARDS**
Think Bollard Think Bullard



LUMACORE M SW

RGBW





Fixture Type:

Project Name:

Notes:



General Information:

LUMACORE M SW is an efficient indoor linear lighting solution designed for clean, integrated installation within architectural surfaces. Its recessed configuration allows it to blend seamlessly into ceilings or walls, maintaining a refined and unobtrusive aesthetic while enhancing the overall spatial design.

Featuring optional recessed louver configurations, it offers enhanced visual comfort and glare control, making it well-suited for environments where both performance and user experience are important. The carefully engineered optics ensure precise light distribution and high lumen efficiency, delivering consistent and effective illumination.

Combining sleek design with reliable performance, LUMACORE M SW provides a balanced solution for a wide range of interior applications. Its integration of style, efficiency, and functional versatility makes it an ideal choice for projects that require both aesthetic appeal and dependable lighting quality.

Voltage:

110-277V

Material:

HOUSING MATERIAL: 6063 High Density Extruded Aluminum Alloy
LENS MATERIAL: Optical grade PMMA
COVER: Silk screen tempered glass
SURFACE FINISHING: Powder coating available in RAL9011 Black

Lighting:

LED

IP Rating:

IP 44

IK Rating:

IK 08



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

Notes:

Driver Position:

REMOTE

Warranty:

5 Years

Features:

- Recessed design for seamless integration
- Integrated anti-glare louver
- Durable aluminum housing
- Ideal for uniform, low-glare indoor lighting

Color Consistency:

3SDCM

CRI:

80



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

HOW TO ORDER:

CODE:

Example:
CODE: BB-7170-ML-S-K27-T-NON

**BB-7170-ML-S-
K27-T-NON**

1 Models In Metric System:

-LMCM2

A) Length - L: 10.24" (26 cm)
B) Width - W: 2.05" (5.2 cm)
C) Height- H: 2.32" (5.9 cm)

LIGHT SOURCE:

LED | 6W

-LMCM5

A) Length - L: 19.69" (50 cm)
B) Width - W: 2.05" (5.2 cm)
C) Height- H: 2.32" (5.9 cm)

LIGHT SOURCE:


LED | 12W

-LMCM10

A) Length - L: 39.37" (100 cm)
B) Width - W: 2.05" (5.2 cm)
C) Height- H: 2.32" (5.9 cm)

LIGHT SOURCE:

LED | 24W



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

Notes:



HOW TO ORDER:

CODE:

Example:
CODE: BB-7170-ML-S-K27-T-NON

**BB-7170-ML-S-
K27-T-NON**

2 CCT:

- | | | | |
|-------------|-------|-------------|-------|
| -K27 | 2700K | -K40 | 4000K |
| -K30 | 3000K | -K50 | 5000K |
| -K35 | 3500K | -K65 | 6500K |

3 Finish Options:

- RAL91** RAL9001 White
- RAL90** RAL9006 Grey
- RAL19** RAL9011 Black
- RAL92** RAL9023 Dark Grey

4 Dimming Options:

- ONF** ON/OFF 100 LUMEN/WATT
- DIM** 0-10V 70 LUMEN/WATT
- DAL** DALI 70 LUMEN/WATT
- TR** TRIAC 70 LUMEN/WATT

5 Optics:

- | | | | |
|------------|-----|--------------|---------|
| -12 | 12° | -1525 | 15°X25° |
| -30 | 30° | -2040 | 20°X40° |
| -50 | 50° | | |



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646


991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

Notes:



HOW TO ORDER:

CODE:


Example:
CODE: BB-7170-ML-S-K27-T-NON

**BB-7170-ML-S-
K27-T-NON**

6 Cable Core Color Coding:

| CABLE | FUNCTION | CORE(US) | WIRE SIZE | CORE(EU) | WIRE SIZE |
|--|----------|----------|-----------|----------|--------------------|
| POWER LEAD IN/ POWER EXTENSION CABLE | DC+ | RED | 16AWG | BROWN | 1.0mm ² |
| | DC- | BLACK | 16AWG | BLUE | 1.0mm ² |

7 Fixture Spacing & Cable Management



| PARAMETER | SPECIFICATION |
|--------------------------|--|
| DEFAULT SPACING | NOMINAL 20MM (± TOLERANCE) |
| EXTENDED SPACING OPTIONS | 1, USE STANDARD INTERLINK CABLE LENGTH (300MM, 2000MM, 6000MM) |
| | 2, CUSTOMIZE INTERLINK CABLE LENGTH |
| | 3, CUSTOMIZE LOOP-IN CABLE |



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.


THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA


RELATED PRODUCTS:

Part Number:




BB-SPB-LE

Part Number:





BB-LMBR-LE

Part Number:



BB-SATM-LE

Part Number:



BB-LMCMR-LE

Part Number:



BB-SPBS-LE



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA