



**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard



# LUMABAR M RGBW

RGBW



Fixture Type:

Project Name:

Notes:



**General Information:**

LUMABAR M RGBW is a compact and versatile linear lighting solution, designed for seamless integration into a wide range of architectural environments. Its slim profile allows for discreet installation within tight or detailed spaces, supporting clean design lines while delivering strong visual impact.

Available in three standard lengths, it offers the flexibility to adapt to various project requirements, from accent lighting to continuous linear applications. The combined RGBW technology enables vibrant color mixing alongside high-quality white light, providing both dynamic effects and functional illumination within a single fixture.

Engineered for ease of installation and long-term reliability, LUMABAR M RGBW combines efficiency, flexibility, and refined aesthetics-making it an ideal solution for projects that demand both performance and seamless architectural integration.

**Voltage:**

110-277V

**Material:**

**HOUSING MATERIAL:** 6063 High Density Extruded Aluminum Alloy  
**LENS MATERIAL:** Optical grade PMMA  
**COVER:** Silk screen tempered glass

**Lighting:**

LED

**IP Rating:**

IP 66

**IK Rating:**

IK 08



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-LMBMR-LE**

Fixture Type:

Project Name:

Notes:

**Driver Position:**

REMOTE

**Warranty:**

5 Years

**CRI:**

80

**Features:**

- LumiMax™ Technology: Increases lumen output
- Four Control Modes for versatility
- ThermoSafe™: Intelligent thermal protection
- Durable aluminum housing
- Optional anti-glare louvers available
- Various beam angles for precise control

**Color options:**

- RGB
- Adjustable White with Quad Chip at: 2700K, 3000K, 4000K, 6500K



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

Fixture Type:

Project Name:

HOW TO ORDER:

CODE:

**Example:**  
**CODE: BB-LMBNR-LE-LMBMR6-K27-RAL91-DX-20-LMBMRSM-LMBMRM1**

**BB-LMBNR-LE-SATM6-K27-RAL91-DX-20-LMBMRSM-LMBMRM1**

**1 Models:**

**-LMBMR6**

A) Length - L: 23.62" (60 cm)  
B) Width - W: 1.65" (4.2 cm)  
C) Base Width- BW: 2.57" (6.54 cm)  
D) Height- H: 3.07" (7.8 cm)

**LIGHT SOURCE:**

LED | 20W | >2000 lumens

**-LMBMR9**

A) Length - L: 35.43" (90 cm)  
B) Width - W: 1.65" (4.2 cm)  
C) Base Width- BW: 2.57" (6.54 cm)  
D) Height- H: 3.07" (7.8 cm)

**LIGHT SOURCE:**


LED | 30W | >3000 lumens

**-LMBMR11**

A) Length - L: 47.24" (120 cm)  
B) Width - W: 1.65" (4.2 cm)  
C) Base Width- BW: 2.57" (6.54 cm)  
D) Height- H: 3.07" (7.8 cm)

**LIGHT SOURCE:**

LED | 40W | >4000 lumens



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

HOW TO ORDER:

CODE:

**Example:**

**CODE: BB-LMBNR-LE-SATM6-K27-  
RAL91-DX-20-LMBMRSM-LMBMRM1**

**BB-LMBNR-LE-  
SATM6-K27-RAL91-  
DX-20-LMBMRSM-  
LMBMRM1**

**2**

**CCT:**

<b>-K27</b>	2700K	<b>-K40</b>	4000K
<b>-K30</b>	3000K	<b>-K65</b>	6500K

**3**

**Finish Options:**

<b>-RAL91</b>	RAL9001 White	
<b>-RAL90</b>	RAL9006 Grey	
<b>-RAL19</b>	RAL9011 Black	
<b>-RAL92</b>	RAL9023 Dark Grey	

**4**

**Dimming Options:**

<b>-DX</b>	DMX
<b>-RM</b>	RDM


\* LumiMax™ only available in RDM and DALI control  
\*Due to the quad chip configuration, the static white color temperature may vary by up to 10%

**5**


**Optics:**

<b>-20</b>	20°	<b>-50</b>	50°
<b>-35</b>	35°	<b>-2040</b>	20°X40°


**-LMBMR6**



**-LMBMR9**



**-LMBMR11**



**LED**



**IP66**

**IK08**



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

**HOW TO ORDER:**

**CODE:**


**Example:  
CODE: BB-LMBNR-LE-SATM6-K27-  
RAL91-DX-20-LMBMRSM-LMBMRM1**

**BB-LMBNR-LE-  
SATM6-K27-RAL91-  
DX-20-LMBMRSM-  
LMBMRM1**

**6 Anti-Glare Accessories:**


**-SATMSM**

Symmetric Louver for LUMBAR SW (Static White)




**-SATMASM**

Asymmetric Louver for LUMBAR SW (Static White)




**7 Mounting Accessories:**

**-SATMM1**



**-SATMM2**



**-SATM6**

**-SATM9**

**-SATM11**



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-LMBMR-LE**

Fixture Type:

Project Name:

HOW TO ORDER:


CODE:

**Example:  
CODE: BB-LMBNR-LE-SATM6-K27-  
RAL91-DX-20-LMBMRSM-LMBMRM1**



**BB-LMBNR-LE-  
SATM6-K27-RAL91-  
DX-20-LMBMRSM-  
LMBMRM1**

**7 Mounting Accessories:**


**-SATMM3**




**-SATMM4**




**-SATMM5**




**-SATMM6**




**-SATM6**



**-SATM9**



**-SATM11**



**LED**



**IP66**

**IK08**



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

Fixture Type:

Project Name:

Notes:



HOW TO ORDER:

CODE:

**Example:**  
**CODE: BB-LMBNR-LE-SATM6-K27-RAL91-DX-20-LMBMRSM-LMBMRM1**

**BB-LMBNR-LE-SATM6-K27-RAL91-DX-20-LMBMRSM-LMBMRM1**

**8 Cable Core Color Coding:**

CABLE	FUNCTION	CORE(US)	WIRE SIZE	CORE(EU)	WIRE SIZE
POWER LEAD IN/ POWER EXTENSION CABLE	-L LIVE	-BL BLACK	16AWG	-BR BROWN	1.3mm <sup>2</sup>
	-N NEUTRAL	-WH WHITE	16AWG	-BE BLUE	1.3mm <sup>2</sup>
	-GND EARTH	-GR GREEN	16AWG	-YE YELLOW -GR GREEN	1.3mm <sup>2</sup>
DATA LEAD IN	-D+ DIM+	-PR PURPLE	20AWG	-PR PURPLE	0.5mm <sup>2</sup>
	-D- DIM-	-PI PINK	20AWG	-GY GREY	0.5mm <sup>2</sup>
	-NA N/A	-YE YELLOW	20AWG	-YE YELLOW	0.5mm <sup>2</sup>
POWER AND DATA POWER COMBINE	-L LIVE	-BL BLACK	16AWG	-BR BROWN	1.3mm <sup>2</sup>
	-N NEUTRAL	-WH WHITE	16AWG	-BE BLUE	1.3mm <sup>2</sup>
	-GND EARTH	-GR GREEN	16AWG	-YE YELLOW -GR GREEN	1.3mm <sup>2</sup>
	-D+ DIM+	-PR PURPLE	22AWG	-PR PURPLE	0.3mm <sup>2</sup>
	-D- DIM-	-PI PINK	22AWG	-GY GREY	0.3mm <sup>2</sup>
	-NA N/A	-YE YELLOW	22AWG	-YE YELLOW	0.3mm <sup>2</sup>

**9 Set Back Distance**

SET BACK DISTANCE	PURPOSE/SCOPE	IDEAL USE
20mm-50mm	For narrow beams, smooth surfaces, glazing	Focused, intense lighting.
50mm-100mm	Balanced lighting for textured walls.	General wallwashing
100mm-200mm	Wide, even light for large areas.	Enhances textured surfaces



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

Fixture Type:

Project Name:

Notes:




HOW TO ORDER:

CODE:

**Example:**  
**CODE: BB-LMBNR-LE-SATM6-K27-RAL91-DX-20-LMBMRSM-LMBMRM1**

**BB-LMBNR-LE-SATM6-K27-RAL91-DX-20-LMBMRSM-LMBMRM1**

**10 Fixture Spacing & Cable Management**



PARAMETER	SPECIFICATION
DEFAULT SPACING	NOMINAL 20MM (± TOLERANCE)
EXTENDED SPACING OPTIONS	1, USE STANDARD INTERLINK CABLE LENGTH (300MM, 2000MM, 6000MM)
	2, CUSTOMIZE INTERLINK CABLE LENGTH
	3, CUSTOMIZE LOOP-IN CABLE




Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646


991 South Gull Lake Dr Richland, MI 49083 USA

**RELATED PRODUCTS:**




**Part Number:**

BB-SPB-LE





**Part Number:**

BB-LMBR-LE




**Part Number:**

BB-SATM-LE



**Part Number:**

BB-LMCMR-LE



**Part Number:**

BB-SPBS-LE



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

[sales@gordonbullard.com](mailto:sales@gordonbullard.com) / [www.bullardbollards.com](http://www.bullardbollards.com) / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA