



**BULLARD
BOLLARDS**
Think Bollard Think Bullard



SPECTRABAR

M

RGBW



Fixture Type:

Project Name:

Notes:



General Information:

SPECTRABAR M is engineered to deliver precise and consistent color rendering over extended distances, making it particularly well-suited for detailed architectural applications. Its compact form factor allows for discreet integration into a variety of design elements, supporting clean lines while maintaining strong visual impact.

Available in three standard lengths, it offers the flexibility to adapt to a wide range of project requirements, from subtle accents to more defined linear lighting compositions. The use of discrete RGBW LEDs ensures accurate color mixing and vibrant output, allowing for dynamic lighting effects alongside high-quality white light.

Designed for performance and reliability, SPECTRABAR M combines refined optical control with consistent light distribution, helping to maintain uniformity across installations. Its balance of precision, flexibility, and color fidelity makes it an ideal solution for projects that demand both creative expression and dependable architectural lighting.

Voltage:

110-277V

Material:

HOUSING MATERIAL: 6063 High Density Extruded Aluminum Alloy
LENS MATERIAL: Optical grade PMMA
COVER: Silk screen tempered glass

Lighting:

LED

IP Rating:

IP 66

IK Rating:

IK 08



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

Fixture Type:

Project Name:

Notes:

Driver Position:

REMOTE

Warranty:

5 Years

CRI:

80

Features:

- Discrete layout ensures color consistency
- LumiMax™ Technology: Increases lumen output
- ThermoSafe™: Intelligent thermal protection
- Optional anti-glare louvers available
- Various beam angles for precise control

Color options:

- RGB
- Adjustable White with Quad Chip at: 2700K, 3000K, 4000K, 6500K



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

HOW TO ORDER:

CODE:

Example:

**CODE: BB-SPBM-LE-SPBM6-K27-
RAL91-DX-15-SPBMSM-SPBMM1**

**BB-SPBM-LE-
SPBM6-K27-
RAL91-DX-15-
SPBMSM-SPBMM1**

1

Models:

-SPBM6

- A) Length - L: 23.62" (60 cm)
- B) Width - W: 1.65" (4.2 cm)
- C) Base Width- BW: 2.57" (6.54 cm)
- D) Height- H: 3.07" (7.8 cm)

LIGHT SOURCE:

LED | 20W | >2000 lumens

-SPBM9

- A) Length - L: 35.43" (90 cm)
- B) Width - W: 1.65" (4.2 cm)
- C) Base Width- BW: 2.57" (6.54 cm)
- D) Height- H: 3.07" (7.8 cm)

LIGHT SOURCE:


LED | 20W | >2000 lumens

-SPBM11

- A) Length - L: 47.24" (120 cm)
- B) Width - W: 1.65" (4.2 cm)
- C) Base Width- BW: 2.57" (6.54 cm)
- D) Height- H: 3.07" (7.8 cm)

LIGHT SOURCE:

LED | 40W | >4000 lumens



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SPBM-LE**

Fixture Type:

Project Name:

HOW TO ORDER:

CODE:

Example:
**CODE: BB-SPBM-LE-SPBM6-K27-
RAL91-DX-15-SPBMSM-SPBMM1**

**BB-SPBM-LE-
SPBM6-K27-
RAL91-DX-15-
SPBMSM-SPBMM1**

2 CCT:

-K27	2700K	-K40	4000K
-K30	3000K	-K65	6500K

3 Finish Options:

-RAL91	RAL9001 White	
-RAL90	RAL9006 Grey	
-RAL19	RAL9011 Black	
-RAL92	RAL9023 Dark Grey	


4 Dimming Options:

-DX	DMX
-RM	RDM

* LumiMax™ only available in RDM control

5 Optics:

-15	15°	-45	45°
-30	30°	-2045	20°X45°



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



Fixture Type:

Project Name:

HOW TO ORDER:

CODE:


**Example:
CODE: BB-SPBM-LE-SPBM6-K27-
RAL91-DX-15-SPBMSM-SPBMM1**

**BB-SPBM-LE-
SPBM6-K27-
RAL91-DX-15-
SPBMSM-SPBMM1**

6 Anti-Glare Accessories:


-SPBMSM

Symmetric Louver for LUMBAR SW (Static White)




-SPBAMSM

Asymmetric Louver for LUMBAR SW (Static White)




7 Mounting Accessories:

-SPBMM1



-SPBMM2



-SPBM6

-SPBM9

-SPBM11



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SPBM-LE**

Fixture Type:

Project Name:








HOW TO ORDER:

CODE:

Example:
**CODE: BB-SPBM-LE-SPBM6-K27-
RAL91-DX-15-SPBMSM-SPBMM1**

**BB-SPBM-LE-
SPBM6-K27-
RAL91-DX-15-
SPBMSM-SPBMM1**

7 Mounting Accessories:



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

Fixture Type:

Project Name:

Notes:



HOW TO ORDER:

CODE:

**Example:
CODE: BB-SPBM-LE-SPBM6-K27-
RAL91-DX-15-SPBMSM-SPBMM1**

**BB-SPBM-LE-
SPBM6-K27-
RAL91-DX-15-
SPBMSM-SPBMM1**

8 Cable Core Color Coding:

CABLE	FUNCTION	CORE(US)	WIRE SIZE	CORE(EU)	WIRE SIZE
POWER LEAD IN/ POWER EXTENSION CABLE	-L LIVE	-BL BLACK	16AWG	-BR BROWN	1.3mm ²
	-N NEUTRAL	-WH WHITE	16AWG	-BE BLUE	1.3mm ²
	-GND EARTH	-GR GREEN	16AWG	-YE YELLOW -GR GREEN	1.3mm ²
DATA LEAD IN	-D+ DIM+	-PR PURPLE	20AWG	-PR PURPLE	0.5mm ²
	-D- DIM-	-PI PINK	20AWG	-GY GREY	0.5mm ²
	-NA N/A	-YE YELLOW	20AWG	-YE YELLOW	0.5mm ²
POWER AND DATA POWER COMBINE	-L LIVE	-BL BLACK	16AWG	-BR BROWN	1.3mm ²
	-N NEUTRAL	-WH WHITE	16AWG	-BE BLUE	1.3mm ²
	-GND EARTH	-GR GREEN	16AWG	-YE YELLOW -GR GREEN	1.3mm ²
	-D+ DIM+	-PR PURPLE	22AWG	-PR PURPLE	0.3mm ²
	-D- DIM-	-PI PINK	22AWG	-GY GREY	0.3mm ²
	-NA N/A	-YE YELLOW	22AWG	-YE YELLOW	0.3mm ²

9 Set Back Distance

SET BACK DISTANCE	PURPOSE/SCOPE	IDEAL USE
20mm-50mm	For narrow beams, smooth surfaces, glazing	Focused, intense lighting.
50mm-100mm	Balanced lighting for textured walls.	General wallwashing
100mm-200mm	Wide, even light for large areas.	Enhances textured surfaces



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

Fixture Type:

Project Name:

Notes:




HOW TO ORDER:

CODE:

Example:
**CODE: BB-SPBM-LE-SPBM6-K27-
RAL91-DX-15-SPBMSM-SPBMM1**

**BB-SPBM-LE-
SPBM6-K27-
RAL91-DX-15-
SPBMSM-SPBMM1**

10 Fixture Spacing & Cable Management



PARAMETER	SPECIFICATION
DEFAULT SPACING	NOMINAL 20MM (± TOLERANCE)
EXTENDED SPACING OPTIONS	1, USE STANDARD INTERLINK CABLE LENGTH (300MM, 2000MM, 6000MM)
	2, CUSTOMIZE INTERLINK CABLE LENGTH
	3, CUSTOMIZE LOOP-IN CABLE


















Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

RELATED PRODUCTS:

			<p>Part Number:</p>
			<p>BB-SPB-LE</p>
			<p>Part Number:</p>
			<p>BB-LMBR-LE</p>
			<p>Part Number:</p>
			<p>BB-SATM-LE</p>
			<p>Part Number:</p>
			<p>BB-LMCMR-LE</p>
			<p>Part Number:</p>
			<p>BB-SPBS-LE</p>



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA