




VOYA END MOUNT 1.75 RETROFIT MR11

12VAC Retrofit MR11 Flood/Accent Light



- Specification-grade, flood/accent lighting
- Available in ultra-durable powder-coated 6061 aluminum, polished brass, or polished 316L stainless steel
- Available in two static white CCTs: 2700K and 3000K
- Amber option meets FWC standards for coastal lighting
- Flexible tree, surface, wall and ground mounting options support diverse installations
- Additional snoots and lamps can be ordered separately. Use part code on master ordering guide.
- Wet listed for exterior applications

1	2	3	4	5	6	7	8	9	10	11	12	13
PRODUCT	KNUCKLE	SNOOT	LAMP	CCT-CRI	WATTS	BEAM ANGLE	MATERIAL	FINISH	WEEP HOLE	ACCESSORY 1	ACCESSORY 2	ACCESSORY 3
VOYA-EM-1.75-MR11-12VAC	ST											

Sample Part Number: VOYA-EM-1.75-MR11-12VAC-ST-FL-MR11-EA-SW-30-3.0-120D-A-BK-N/A-SP-N/A-N/A

1 PRODUCT VOYA-EM-1.75-MR11-12VAC	2 KNUCKLE STStandard	3 SNOOT FLFlush HR0.5" Regress 1R1" Regress 30D30 Degree 45D45 Degree 60D60 Degree
4 LAMP MR11-EA-SWEmery Allen <		


5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



VOYA END MOUNT 1.75 RETROFIT MR11

12VAC Retrofit MR11 Flood/Accent Light

1 PRODUCT - DIMENSIONS



Flush Snoot (FL)




0.5" Regress Snoot (HR)




1" Regress Snoot (1R)



30 Degree Snoot (30D)



45 Degree Snoot (45D)



60 Degree Snoot (60D)

9 FINISH


ALUMINUM POWDER COAT FINISHES

Lead times differ. BZT ships from stock. All other standard finishes are made to order. Custom finishes: consult factory.




BRASS AND STAINLESS STEEL POLISHED FINISHES

Brass and Stainless Steel have longer lead times: consult factory




11 / 12 / 13 ACCESSORIES

Holds up to three accessories. Retaining Ring included with each accessory. Do not use with halogen lamps.




Spread Lens

To order separately use ACC-175-SP




Linear Spread Lens

To order separately use ACC-175-LS



Wall Wash Lens

To order separately use ACC-175-WW




Honeycomb Louver

To order separately use ACC-175-LV



Retaining Ring

To order separately use ACC-175-RR



SNOOT INSTALL KIT

To order separately use VOYA-SNOOT-INSTALL-KIT



VOYA END MOUNT 1.75 RETROFIT MR11

12VAC Retrofit MR11 Flood/Accent Light

COMPATIBLE GLARE CONTROL ACCESSORIES

VOYA-1.75-45D-
GLARE-SHIELD-YY-XX



Adjustable 45° Glare
Shield. See Spec Sheet
for material (YY) and
finish (XX) options

COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

DIMMING PROTOCOL	OUTDOOR
	LANDSCAPE LIGHTING
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS




VOYA EM/SM 1.75" MOUNT COMPATIBILITY

Landscape Lighting


SURFACE/WALL

See Surface/Wall installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.



Q-WB

Wood Beam Mount



Q-MT-11*


With Water Protection



Q-MT-17*



Q-MT-18




Q-MT-19

With Water Protection



Q-MT-21




Q-MT-22



Q-MT-37*

SURFACE/WALL J-BOX PLATES

See Surface/Wall J-Box Plate installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.




Q-MT-24

Compatible with
1 GANG RECTANGLE
WEATHER PROOF J-BOX
or 4/0 WEATHER PROOF
J-BOX by others



Q-MT-25

Compatible with 1 GANG RECESS J-BOX or 4/0
RECESSED J-BOX by others



Q-MT-26



Q-MT-27

Compatible with
3/0 RECESSED J-BOX
by others




Q-MT-42*

Compatible with
1 GANG RECTANGLE
WEATHER PROOF J-BOX
or 4/0 WEATHER PROOF
J-BOX by others

TREE MOUNT

See Tree Mount installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.



Q-MT-10



Q-MT-12*




Q-MT-14*

With Tree Strap




Q-MT-39*



**Q-MT-50
(No Driver)**

With Water Protection
and Tree Strap





Q-MT-51*


With Water Protection

DIRECT BURIAL

See Direct Burial installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.



Q-MT-6*




Q-MT-7*

With Water Protection




Q-MT-45*



**Q-TRIX-R20*
(No Driver)**

With Water Protection



**Q-TRIX-R50*
(With Driver)**


With Water Protection

MOUNT ACCESSORIES


See Accessories installation for dimensions and included hardware.



1/2 NPS



**AY-3
Riser Pole**



AY-7

No Water Protection



**(RA) ROTATIONAL
ADAPTER**

With Water Protection

*Compatible with AY-3 Riser Pole